

S1810

DISABILITY CHARACTERISTICS

2010-2012 American Community Survey 3-Year Estimates

Supporting documentation on code lists, subject definitions, data accuracy, and statistical testing can be found on the American Community Survey website in the Data and Documentation section.

Sample size and data quality measures (including coverage rates, allocation rates, and response rates) can be found on the American Community Survey website in the Methodology section.

Although the American Community Survey (ACS) produces population, demographic and housing unit estimates, it is the Census Bureau's Population Estimates Program that produces and disseminates the official estimates of the population for the nation, states, counties, cities and towns and estimates of housing units for states and counties.

Subject	Delaware					
	Total		With a disability		Percent with a disability	
	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	
Total civilian noninstitutionalized population	893,732	+/-510	108,397	+/-3,071	12.1%	
Population under 5 years	55,992	+/-166	850	+/-344	1.5%	
With a hearing difficulty	(X)	(X)	571	+/-297	1.0%	
With a vision difficulty	(X)	(X)	402	+/-217	0.7%	
Population 5 to 17 years	148,835	+/-178	7,697	+/-866	5.2%	
With a hearing difficulty	(X)	(X)	1,047	+/-335	0.7%	
With a vision difficulty	(X)	(X)	967	+/-289	0.6%	
With a cognitive difficulty	(X)	(X)	5,807	+/-699	3.9%	
With an ambulatory difficulty	(X)	(X)	792	+/-255	0.5%	
With a self-care difficulty	(X)	(X)	1,161	+/-312	0.8%	
Population 18 to 64 years	558,182	+/-609	57,820	+/-2,304	10.4%	
With a hearing difficulty	(X)	(X)	9,982	+/-867	1.8%	
With a vision difficulty	(X)	(X)	9,314	+/-857	1.7%	
With a cognitive difficulty	(X)	(X)	23,262	+/-1,610	4.2%	
With an ambulatory difficulty	(X)	(X)	30,445	+/-1,703	5.5%	
With a self-care difficulty	(X)	(X)	9,668	+/-816	1.7%	
With an independent living difficulty	(X)	(X)	19,409	+/-1,310	3.5%	
Population 65 years and over	130,723	+/-357	42,030	+/-1,533	32.2%	
With a hearing difficulty	(X)	(X)	15,836	+/-946	12.1%	
With a vision difficulty	(X)	(X)	7,669	+/-720	5.9%	
With a cognitive difficulty	(X)	(X)	9,707	+/-830	7.4%	
With an ambulatory difficulty	(X)	(X)	27,036	+/-1,214	20.7%	
With a self-care difficulty	(X)	(X)	8,816	+/-818	6.7%	
With an independent living difficulty	(X)	(X)	18,147	+/-986	13.9%	
SEX						
Male	429,843	+/-513	49,341	+/-1,943	11.5%	
Female	463,889	+/-417	59,056	+/-1,940	12.7%	
RACE AND HISPANIC OR LATINO ORIGIN						
One Race	N	N	N	N	N	

1 of 4 09/04/2014

Subject	Delaware					
	Total		With a disability		Percent with a disability	
	Estimate	Margin of Error	Estimate	Margin of Error	Estimate	
White alone	628,223	+/-3,271	80,622	+/-2,564	12.8%	
Black or African American alone	189,352	+/-1,837	21,938	+/-1,491	11.6%	
American Indian and Alaska Native alone	2,619	+/-527	640	+/-266	24.4%	
Asian alone	29,441	+/-711	1,548	+/-438	5.3%	
Native Hawaiian and Other Pacific Islander alone	N	N	N	N	N	
Some other race alone	20,262	+/-2,535	1,469	+/-414	7.3%	
Two or more races	23,295	+/-2,073	2,159	+/-478	9.3%	
White alone, not Hispanic or Latino	580,816	+/-679	77,486	+/-2,442	13.3%	
Hispanic or Latino (of any race)	75,436	+/-164	5,293	+/-719	7.0%	
PERCENT IMPUTED						
Disability status	4.4%	(X)	(X)	(X)	(X)	
Hearing difficulty	2.7%	(X)	(X)	(X)	(X)	
Vision difficulty	3.0%	(X)	(X)	(X)	(X)	
Cognitive difficulty	3.1%	(X)	(X)	(X)	(X)	
Ambulatory difficulty	3.1%	(X)	(X)	(X)	(X)	
Self-care difficulty	3.1%	(X)	(X)	(X)	(X)	
Independent living difficulty	3.0%	(X)	(X)	(X)	(X)	

2 of 4 09/04/2014

Total civilian noninstitutionalized population +/-0.3 Population under 5 years +/-0.6 With a hearing difficulty +/-0.5 With a vision difficulty +/-0.4 Population 5 to 17 years +/-0.6 With a hearing difficulty +/-0.2 With a cognitive difficulty +/-0.2 With a cognitive difficulty +/-0.2 With an ambulatory difficulty +/-0.2 With a self-care difficulty +/-0.2 With a hearing difficulty +/-0.2 With a hearing difficulty +/-0.2 With a hearing difficulty +/-0.2 With a resion difficulty +/-0.2 With a cognitive difficulty +/-0.2 With a nambulatory difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With a nambulatory difficulty +/-0.6 With an independent living difficulty +/-0.7 With a vision difficulty +/-0.6 With a vision difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an independent living difficulty +/-0.8 SEX Male +/-0.5 Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone H-/-0.8 American Indian and Alaska Native alone +/-0.4 Asian alone +/-0.4 Asian alone +/-0.8 American Indian and Alaska Native alone +/-1.5 Native Hawaiian and Other Pacific Islander alone Some other race alone +/-1.5 Native Hawaiian and Other Pacific Islander alone Some other race alone +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	Subject	Delaware Percent with a disability Margin of Error	
Population under 5 years	Total civilian noninstitutionalized population		
With a hearing difficulty		17 0.0	
With a hearing difficulty	Population under 5 years	+/-0.6	
Population 5 to 17 years			
With a hearing difficulty	With a vision difficulty		
With a hearing difficulty +/-0.2 With a vision difficulty +/-0.5 With a cognitive difficulty +/-0.2 With a self-care difficulty +/-0.2 With a self-care difficulty +/-0.2 With a self-care difficulty +/-0.4 With a vision difficulty +/-0.2 With a vision difficulty +/-0.2 With a vision difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With an independent living difficulty +/-0.1 With an independent living difficulty +/-0.2 With a hearing difficulty +/-0.7 With a vision difficulty +/-0.6 With a vision difficulty +/-0.6 With a cognitive difficulty +/-0.6 With a self-care difficulty +/-0.6 With a self-care difficulty +/-0.6 With a numbulatory difficulty +/-0.6 With a numbulatory difficulty +/-0.6 White alone and living difficulty +/-0.8 SEX Male +/-0.4			
With a vision difficulty	Population 5 to 17 years	+/-0.6	
With a cognitive difficulty	With a hearing difficulty	+/-0.2	
With an ambulatory difficulty	· ·	+/-0.2	
With a self-care difficulty Population 18 to 64 years With a hearing difficulty With a vision difficulty With a cognitive difficulty With a self-care difficulty With an independent living difficulty Population 65 years and over With a hearing difficulty With a hearing difficulty Population 65 years and over With a hearing difficulty With a vision difficulty With a vision difficulty With a nambulatory difficulty With a cognitive difficulty With a nambulatory difficulty With an independent living difficulty With an independent living difficulty With an independent living difficulty #/-0.6 With an independent living difficulty #/-0.8 SEX Male #/-0.5 Female #/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race Now White alone Black or African American alone #/-0.4 American Indian and Alaska Native alone #/-1.5 Native Hawaiian and Other Pacific Islander alone Nome other race alone #/-1.8 Two or more races #/-1.9 PERCENT IMPUTED Disability status (X) Hearing difficulty Cognitive difficulty (X) X) Self-care difficulty (X)	With a cognitive difficulty	+/-0.5	
Population 18 to 64 years	With an ambulatory difficulty	+/-0.2	
With a hearing difficulty +/-0.2 With a vision difficulty +/-0.2 With a cognitive difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With an ambulatory difficulty +/-0.1 With an independent living difficulty +/-0.2 With an independent living difficulty +/-0.2 With a hearing difficulty +/-0.7 With a hearing difficulty +/-0.7 With a vision difficulty +/-0.6 With a cognitive difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an independent living difficulty +/-0.8 With an independent living difficulty +/-0.8 SEX Male +/-0.8 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone +/-0.4 Black or African American alone +/-0.4 American Indian and Alaska Native alone +/-0.8 American Indian and Other Pacific Islander alone N Some other race alone +/-1.5 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Self-care difficulty (X)	With a self-care difficulty	+/-0.2	
With a hearing difficulty +/-0.2 With a vision difficulty +/-0.2 With a cognitive difficulty +/-0.3 With an ambulatory difficulty +/-0.3 With an ambulatory difficulty +/-0.1 With an independent living difficulty +/-0.2 With an independent living difficulty +/-0.2 With a hearing difficulty +/-0.7 With a hearing difficulty +/-0.7 With a vision difficulty +/-0.6 With a cognitive difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an independent living difficulty +/-0.8 With an independent living difficulty +/-0.8 SEX Male +/-0.8 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone +/-0.4 Black or African American alone +/-0.4 American Indian and Alaska Native alone +/-0.8 American Indian and Other Pacific Islander alone N Some other race alone +/-1.5 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Self-care difficulty (X)			
With a vision difficulty	•	+/-0.4	
With a cognitive difficulty		+/-0.2	
With an ambulatory difficulty +/-0.3 With a self-care difficulty +/-0.1 With an independent living difficulty +/-0.2 Population 65 years and over +/-1.2 With a hearing difficulty +/-0.7 With a vision difficulty +/-0.6 With a cognitive difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an independent living difficulty +/-0.6 With an independent living difficulty +/-0.8 With an independent living difficulty +/-0.8 SEX Male +/-0.5 Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone H-/-0.4 Black or African American alone +/-0.4 American Indian and Alaska Native alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Self-care difficulty (X) Self-care difficulty (X) Self-care difficulty (X)	·	+/-0.2	
With a self-care difficulty +/-0.1 With an independent living difficulty +/-0.2 Population 65 years and over +/-1.2 With a hearing difficulty +/-0.6 With a vision difficulty +/-0.6 With a cognitive difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an ambulatory difficulty +/-0.6 With an independent living difficulty +/-0.8 With an independent living difficulty +/-0.8 SEX Male +/-0.5 Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone Black or African American alone +/-0.4 American Indian and Alaska Native alone +/-0.8 American Indian and Other Pacific Islander alone N Some other race alone +/-1.5 Native Hawaiian and Other Pacific Islander alone +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		+/-0.3	
With an independent living difficulty Population 65 years and over With a hearing difficulty With a vision difficulty With a cognitive difficulty With a cognitive difficulty With an ambulatory difficulty With an ambulatory difficulty With an independent living difficulty Female #/-0.8 **SEX Male #/-0.5 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.4 ##-0.5 ##-0.5 ##-0.4 ##-0.5 ##-0.5 ##-0.5 ##-0.5 ##-0.6		+/-0.3	
Population 65 years and over		+/-0.1	
With a hearing difficulty	With an independent living difficulty	+/-0.2	
With a hearing difficulty			
With a vision difficulty		+/-1.2	
With a cognitive difficulty		+/-0.7	
With an ambulatory difficulty	·	+/-0.6	
With a self-care difficulty		+/-0.6	
With an independent living difficulty +/-0.8 SEX Male +/-0.5 Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone +/-0.4 Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-7.2 Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		+/-0.9	
SEX Male		+/-0.6	
Male +/-0.5 Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone +/-0.4 Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-7.2 Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	With an independent living difficulty	+/-0.8	
Male +/-0.5 Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone +/-0.4 Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-7.2 Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	057		
Female +/-0.4 RACE AND HISPANIC OR LATINO ORIGIN One Race N White alone +/-0.4 Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-7.2 Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
RACE AND HISPANIC OR LATINO ORIGIN One Race White alone H/-0.4 Black or African American alone American Indian and Alaska Native alone Asian alone Native Hawaiian and Other Pacific Islander alone Some other race alone Two or more races White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Cognitive difficulty (X) Self-care difficulty (X) (X) Self-care difficulty (X)			
One Race White alone H-0.4 Black or African American alone American Indian and Alaska Native alone Asian alone H-7.2 Asian alone Some other race alone Two or more races H-1.9 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X) (X)	remale	+/-0.4	
One Race White alone H-0.4 Black or African American alone American Indian and Alaska Native alone Asian alone H-7.2 Asian alone Some other race alone Two or more races H-1.9 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X) (X)	PACE AND HISPANIC OR LATING ORIGIN		
White alone +/-0.4 Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-7.2 Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		N	
Black or African American alone +/-0.8 American Indian and Alaska Native alone +/-7.2 Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
American Indian and Alaska Native alone Asian alone Asian alone H-7.2 Asian alone Native Hawaiian and Other Pacific Islander alone Some other race alone Two or more races H-1.9 White alone, not Hispanic or Latino Hispanic or Latino (of any race) PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	TTIMO GIOTIO		
Asian alone +/-1.5 Native Hawaiian and Other Pacific Islander alone N Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
Native Hawaiian and Other Pacific Islander alone Some other race alone Two or more races +/-1.9 White alone, not Hispanic or Latino Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status Hearing difficulty Vision difficulty Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
Some other race alone +/-1.8 Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
Two or more races +/-1.9 White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Some other race alone		
White alone, not Hispanic or Latino +/-0.4 Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	The strategy	+/-1.5	
Hispanic or Latino (of any race) +/-1.0 PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	White alone, not Hispanic or Latino	+/-0.4	
PERCENT IMPUTED Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)			
Disability status (X) Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		,,	
Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	PERCENT IMPUTED		
Hearing difficulty (X) Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Disability status	(X)	
Vision difficulty (X) Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)	Hearing difficulty	, ,	
Cognitive difficulty (X) Ambulatory difficulty (X) Self-care difficulty (X)		, ,	
Ambulatory difficulty (X) Self-care difficulty (X)	-	, ,	
Self-care difficulty (X)	,	` ,	
	· · · · · · · · · · · · · · · · · · ·	, ,	
	·	(X)	

Data are based on a sample and are subject to sampling variability. The degree of uncertainty for an estimate arising from sampling variability is represented through the use of a margin of error. The value shown here is the 90 percent margin of error. The margin of error can be interpreted roughly as providing a 90 percent probability that the interval defined by the estimate minus the margin of

3 of 4 09/04/2014

error and the estimate plus the margin of error (the lower and upper confidence bounds) contains the true value. In addition to sampling variability, the ACS estimates are subject to nonsampling error (for a discussion of nonsampling variability, see Accuracy of the Data). The effect of nonsampling error is not represented in these tables.

The Census Bureau introduced a new set of disability questions in the 2008 ACS questionnaire. Accordingly, comparisons of disability data from 2008 or later with data from prior years are not recommended. For more information on these questions and their evaluation in the 2006 ACS Content Test, see the Evaluation Report Covering Disability.

While the 2010-2012 American Community Survey (ACS) data generally reflect the December 2009 Office of Management and Budget (OMB) definitions of metropolitan and micropolitan statistical areas; in certain instances the names, codes, and boundaries of the principal cities shown in ACS tables may differ from the OMB definitions due to differences in the effective dates of the geographic entities.

Estimates of urban and rural population, housing units, and characteristics reflect boundaries of urban areas defined based on Census 2000 data. Boundaries for urban areas have not been updated since Census 2000. As a result, data for urban and rural areas from the ACS do not necessarily reflect the results of ongoing urbanization.

Source: U.S. Census Bureau, 2010-2012 American Community Survey

Explanation of Symbols:

- 1. An '**' entry in the margin of error column indicates that either no sample observations or too few sample observations were available to compute a standard error and thus the margin of error. A statistical test is not appropriate.
- 2. An '-' entry in the estimate column indicates that either no sample observations or too few sample observations were available to compute an estimate, or a ratio of medians cannot be calculated because one or both of the median estimates falls in the lowest interval or upper interval of an open-ended distribution.
 - 3. An '-' following a median estimate means the median falls in the lowest interval of an open-ended distribution.
 - 4. An '+' following a median estimate means the median falls in the upper interval of an open-ended distribution.
- 5. An '***' entry in the margin of error column indicates that the median falls in the lowest interval or upper interval of an open-ended distribution. A statistical test is not appropriate.
- 6. An '*****' entry in the margin of error column indicates that the estimate is controlled. A statistical test for sampling variability is not appropriate.
- 7. An 'N' entry in the estimate and margin of error columns indicates that data for this geographic area cannot be displayed because the number of sample cases is too small.
 - 8. An '(X)' means that the estimate is not applicable or not available.